



COILS



AND SHEETS

2025



CATALOG

CONTENT

HOT ROLLED STEEL

Ferriera Valsider

European standards	04
--------------------	----

American standards	05
--------------------	----

Shipbuilding standards	07
------------------------	----

Zaporizhstal JV

European standards	09
--------------------	----

American and Japanese standards	09
---------------------------------	----

Ukrainian standards	10
---------------------	----

Pickled and oiled hot rolled products	15
---------------------------------------	----

COLD ROLLED STEEL

Zaporizhstal JV

Ukrainian standards	18
---------------------	----

European standards	21
--------------------	----

GALVANIZED ROLLED STEEL

Unisteel

European standards	22
--------------------	----

American standards	22
--------------------	----

Ukrainian standards	22
---------------------	----

CONTACTS	23
-----------------	-----------

Metinvest is an international steel and mining group with coal mines and steelmaking assets in Europe and North America.

We manage the complete production chain, from extracting iron ore and coal to manufacturing semi-finished and finished steel products. This gives us the opportunity to take an individual approach to each customer's needs.

1,000+
steel products

4000+
customers

24
sales offices

50+
countries

COILS AND SHEETS PRODUCTION

Annual capacity, kt

ZAPORIZHSTAL JV

Hot and cold rolled coils and sheets

Continuous hot rolling mill 1680	3 600
----------------------------------	--------------

Cold rolling mills 1680 (C), 1680 (R), 1200, 2800	1 000
---------------------------------------------------	--------------

Tin plate cold rolling mills 450, 650	115
---------------------------------------	------------

FERRIERA VALSIDER

Hot rolled coils

Steckel mill 1600	750
-------------------	------------

UNISTEEL

Galvanized rolled steel	90
-------------------------	-----------

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	DELIVERY CONDITION
Non-alloy structural steels	EN 10025-2	S235JR, S235JRC, S275JR, S275JRC, S235J0, S235J0C, S275J0, S275J0C, S235J2, S235J2C, S275J2, S275J2C,	EN 10025-2	2,0-20,0	1000-1570	As rolled, normalizing rolled, thermomechanically rolled
		S355JR, S355J2, S355JRC, S355J2C, S355J0, S355K2, S355J0C, S355K2C,		2,3-20,0		
Normalized weldable rolled fine-grained	EN 10025-3	S275N	EN 10025-3	3,0-3,99	1230-1520	Normalizing rolled
		S275NL		4,0-12,0	1000-1520	
		S355N		4,0-4,99	1000-1520	
		S355NL		5,0-12,0	1000-1520	
Thermomechanically rolled fine-grained structural steels	EN 10025-4	S275M, S275ML	EN 10025-4	3,0-12,0	1000-1520	Thermomechanically rolled
		S355M, S355ML		3,0-8,0		
		S420M, S420ML		3,0-8,0		
		S460M, S460ML		4,0-8,0		
Structural steels with improved atmospheric corrosion resistance	EN 10025-5	S355J0W, S355J2W, S355K2W	EN 10025-5	3,0-15,0	1490-1550	As rolled, normalizing rolled
		S355J0WP, S355J2WP		3,0-12,0		
Thermomechanically rolled steels for cold forming	EN 10149-2	S315MC	EN 10149-2	3,0-12,0	1000-1520	Thermomechanically rolled
		S355MC		3,0-15,0	1490-1520	
		S420MC		3,0-12,0	1490-1520	
		S460MC		4,0-6,0	1490-1520	

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	DELIVERY CONDITION
Non-alloy and alloy steels with specified elevated temperature properties	EN 10028-2	P235GH, P265GH	EN 10028-2	3,0-20,0	1490-1520	Normalizing rolled
		P295GH, P355GH		4,0-12,0		
		16Mo3		3,0-12,0		
Weldable normalized fine grain steels	EN 10028-3	P275NH, P275NL1, P275NL2	EN 10028-3	3,0-12,0	1490-1520	Normalizing rolled
		P355N, P355NH, P355NL1, P355NL2		4,0-10,0		
Simple pressure vessel steels	EN 10207-2	P235S, P265S, P265SL	EN 10207-2	3,0-20,0	1490-1520	Normalizing rolled
Unalloyed steels for quenching and tempering	ISO 683-1	C45, C45E	ISO 683-1	3,0-15,0	1490-1520	As rolled
Alloyed steels for quenching and tempering	ISO 683-2	30MnB5, 27MnCrB5-2, 33MnCrB5	ISO 683-2	3,0-12,0	1490-1520	As rolled
		34CrMo4		6,0-12,0		
Carbon structural steel	ASTM A36/A36M	ASTM A36/A36M	ASTM A36/A36M	2,46-20,0	1220-1524	As rolled
Carbon steel products of structural quality for general application	ASTM A283/A283M	Grade C	ASTM A283/A283M	3,0-15,0	1220-1524	As rolled
		Grade D		3,0-12,0		
Steel with improved formability	ASTM A1011/A1011M	SS Grade 30, SS Grade 33, SS Grade 36 Type 1, SS Grade 36 Type 2, SS Grade 40, SS Grade 45 Type 1, SS Grade 50, SS Grade CS-B	ASTM A1011/A1011M	2,46-5,84	1220-1524	As rolled
		SS Grade 55, SS Grade 60		3,00-5,84		

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	DELIVERY CONDITION
Rolled products for welded pipes production	API 5L	B, X42, X46, X52	API 5L PSL1	3,0-20,0	1220-1524	As rolled
Steel with improved formability	ASTM A1018/A1018M	HSLAS Grade 50 Class 1, HSLAS Grade 50 Class 2, SS Grade 30, SS Grade 33, SS Grade 36 Type 1, SS Grade 36 Type 2, SS Grade 40	ASTM A1018/A1018M	5,85-20,0	1220-1524	As rolled
Pressure vessel carbon steel products	ASTM A285/A285M	Grade C	ASTM A285/A285M	3,0-15,0	1220-1524	As rolled
Pressure vessel carbon steel products	ASTM A516/A516M	Grade 55	ASTM A516/A516M	3,0-12,0	1220-1524	As rolled
		Grade 60, Grade 65		3,0-8,0		
		Grade 70		4,0-8,0		
High-strength low-alloy vanadium structural steel	ASTM A572/A572M	Grade 50 Type 2, Grade 55 Type 2	ASTM A572/A572M	2,46-20,0	1220-1524	As rolled
Structural steels with improved atmospheric corrosion resistance	ASTM A709/A709M	Grade 50W Type A, Grade 50W Type B	ASTM A709/A709M	3,0-15,0	1220-1524	As rolled

REGISTRO ITALIANO NAVALE (R.I.N.A.)

Normal strength steel

GRADE	A	B	D
THICKNESS, MM	3.00÷12.00	3.00÷12.00	3.00÷12.00
WIDTH, MM	1230÷1520	1230÷1520	1230÷1520
WEIGHT, T	12÷25	12÷25	12÷25
DELIVERY CONDITION	As rolled, normalizing rolled	As rolled, normalizing rolled	Normalizing rolled

High strength steel

GRADE	AH32	DH32	AH36	DH36
THICKNESS, MM	4.00÷12.00	4.00÷12.00	4.00÷12.00	4.00÷12.00
WIDTH, MM	1230÷1520	1230÷1520	1230÷1520	1230÷1520
WEIGHT, T	12÷25	12÷25	12÷25	12÷25
DELIVERY CONDITION	As rolled, normalizing rolled	Normalizing rolled	As rolled, normalizing rolled	Normalizing rolled

LLOYD'S REGISTER (LR)

Normal strength steel

GRADE	A	B	D
THICKNESS, MM	3.00÷12.00	3.00÷12.00	3.00÷12.00
WIDTH, MM	1230÷1520	1230÷1520	1230÷1520
WEIGHT, T	12÷25	12÷25	12÷25
DELIVERY CONDITION	Normalizing rolled	Normalizing rolled	Normalizing rolled

High strength steel

GRADE	AH32	DH32	AH36	DH36
THICKNESS, MM	4.00÷12.00	4.00÷12.00	4.00÷12.00	4.00÷12.00
WIDTH, MM	1230÷1520	1230÷1520	1230÷1520	1230÷1520
WEIGHT, T	12÷25	12÷25	12÷25	12÷25
DELIVERY CONDITION	Normalizing rolled	Normalizing rolled	Normalizing rolled	Normalizing rolled

AMERICAN BUREAU OF SHIPPING (ABS)

Normal strength steel

GRADE	A	B	D
THICKNESS, MM	3.00÷12.00	3.00÷12.00	3.00÷12.00
WIDTH, MM	1230÷1520	1230÷1520	1230÷1520
WEIGHT, T	12÷25	12÷25	12÷25
DELIVERY CONDITION	As rolled	As rolled	Normalizing rolled

High strength steel

GRADE	AH32	DH32	AH36	DH36
THICKNESS, MM	4.00÷12.00	4.00÷12.00	4.00÷12.00	4.00÷12.00
WIDTH, MM	1230÷1520	1230÷1520	1230÷1520	1230÷1520
WEIGHT, T	12÷25	12÷25	12÷25	12÷25
DELIVERY CONDITION	As rolled	Normalizing rolled	As rolled	Normalizing rolled

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	DELIVERY CONDITION
Non-alloy structural steels	EN 10025-2	S235JR	EN 10025-2	1.8	1000	Coil/Sheet
				1.9	1000-1100	
				2,0-2,5	1000-1250	
				2,6-3,9	1000-1360	
				4,0-8,0	1000-1500	
		S275JR		2,0-2,4	1000	
				2,5-3,5	1000-1250	
				3,6-3,9	1000-1360	
				4,0-8,0	1000-1400	
		S355JR		2,8-3,7	1170-1260	
				3,8-5,7	1170-1340	
		S355J2		2.8	1000-1260	
				2,9-3,9	1000-1340	
		4,0-8,0	1000-1360			
Continuously hot-rolled low carbon steel strip for cold forming	EN 10111	DD11	EN 10111	3,0-6,0	1000-1500	Coil
Alloyed steel for quenching and tempering	ISO 683-2/ EN 10083-3	30MnB5	ISO 683-2/EN 10083-3	6,0-8,0	1250	Sheet
Carbon structural steel	ASTM A36/ A36M	A36	ASTM A36/A36M	2,0-2,4	1000-1100	Coil/Sheet
				2,5-3,9	1000-1250	
				4,0-8,0	1000-1500	
Carbon structural steel	Protocol 14-226-203:2018	A36	ASTM A36/A36M	3,0-3,9	1000-1250	Coil
				4,0-8,0	1000-1500	
Carbon steel	ASTM A568/A568M	SAE 1006	ASTM A568/A568M	2,35-2,49	1000-1250	Coil/Sheet
				2,5-3,0	1170-1260	
Structural rolled products	Protocol 14-226-218:2021	SS400	JIS G 3101	3.0-3.2	1000-1250	Coil

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	TYPE OF DELIVERY
Rolled products from ordinary carbon steel	DSTU 8803 / GOST 14637	St0, St1kp, St1ps, St2kp, St2ps, St3kp, St3ps	DSTU 2651 / GOST 380	4,0-8,0	1000-1500	Coil/Sheet
		St1sp, St2sp, St3sp			1000-1400	
		St4ps			1000-1500	
		St4sp			1000-1400	
Special rolled products from ordinary carbon steel	TU U 14-16-56-2000	St0, St1kp, St1ps, St2kp, St2ps, St3kp, St3ps	DSTU 2651 / GOST 380	6,1-8,0	1000-1500	Coil/Sheet
		St2sp, St3sp, St4sp			1000-1400	
		St1kp, St1ps		4,0-8,0	1000-1500	
		St1sp			1000-1400	
Rolled products from quality and ordinary carbon steel for general purposes	TU U 14-4-426-98	St1kp, St1ps, St2kp, St2ps, St3kp, St3ps	DSTU 2651 / GOST 380	2,0-2,5	950-1250	Coil/Sheet
		St1sp, St2sp, St3sp		2,6-2,9	1000-1360	
				3,0-3,9	1000-1500	
				2,0-2,4	1000	
		St1kp, St1ps, St2kp, St2ps, St3kp, St3ps, St4kp, St4ps		2,5-3,5	1000-1250	
				3,6-3,9	1000-1400	
				4,0-8,0	1000-1500	
		St1sp, St2sp, St3sp, St4sp		4,0-8,0	1000-1400	
		St4kp, St4ps, St4sp, St5sp		3,0-3,4	1000	
		St5sp		3,5-3,9	1000-1250	
4,0-6,0	1000-1250					

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	TYPE OF DELIVERY	
Rolled products from quality and ordinary carbon steel for general purposes	TU U 14-4-426-98	St3ps usp	TU U 14-4-426-98	2.5	1000-1250	Coil/Sheet	
		St4ps usp		2,6-3,9	1000-1360		
				4,0-6,0	1000-1400		
		08kp, 08ps, 15kp, 15ps		3.8	1000-1080		
				2,0-2,5	950-1250		
				2,6-2,9	1000-1360		
		08kp, 08ps, 10kp, 10ps, 15kp, 15ps, 20kp, 20ps		3,0-3,9	1000-1500		
4,0-8,0	1000-1500						
10, 15, 20	4,0-8,0	1000-1400					
	DSTU 8541/ GOST 19281	09G2, 09G2D, 09G2S	DSTU 8541/ GOST 19281	4,0-4,9	1000-1360	Coil/ Sheet	
5,0-6,0				1000-1400			
Non-alloy structural steels	TU U 27.1-23365425-621:2007	S235JR	TU U 27.1-23365425-621:2007	1.8	1000	Coil/ Sheet	
				S235JR, S235JR61, S235JR62	1.9		1000-1100
		2,0-2,5			1000-1250		
		2,6-2,9			1000-1360		
		3,0-8,0			1000-1500		
		S275JR			2,0-2,4		1000
					2,5-3,5		1000-1250
				3,6-3,9	1000-1360		
4,0-8,0	1000-1400						

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	TYPE OF DELIVERY	
Non-alloy structural steels	TU U 27.1-23365425-621:2007	S235JR usp	TU U 27.1-23365425-621:2007	1.8	1000	Coil/ Sheet	
				1,9-2,4	1000-1100		
				2,5-3,9	1000-1250		
				4,0-8,0	1000-1500		
Corrugated steel lentic form sheets	TU U 27.1-31632138-1333:2005	St1kp, St1ps, St2kp, St2ps, St3kp, St3ps	DSTU 2651 / GOST 380	3,0-3,9	1000	Coil/ Sheet	
				4,0-6,0	1000-1250		
				8	1250		
		08kp, 08ps, 10kp, 10ps, 20kp, 20ps	DSTU 7809 / GOST 1050	3,0-3,9	1000		
				4,0-6,0	1000-1250		
				8	1250		
		S235JR, S235JR62	TU U 27.1-23365425-621:2007		3,0-3,9		1000
					4,0-6,0		1000-1250
					8		1250
Rolled products from quality and ordinary carbon steel for general purposes	DSTU 2834 / GOST 16523	St1kp, St1ps	DSTU 2651 / GOST 380	1.5	1000-1100	Coil/ Sheet	
				1,6-1,7	1000		
				1.8	970-1100		
		1.9		1000-1250			
		St2ps, St2kp, St3kp, St3ps		1.8	1000		
				St3kp, St3ps	1.9		1000-1100
					2,0-2,5		950-1250
		St0, St1kp, St1ps, St2kp, St2ps, St3kp, St3ps		2,6-2,9	1000-1360		
				3,0-3,9	1000-1500		

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	TYPE OF DELIVERY				
Rolled products from quality and ordinary carbon steel for general purposes	DSTU 2834 / GOST 16523	St1sp, St2sp	DSTU 2651 / GOST 380	2,0-2,4	1000	Coil/ Sheet				
				2,5-3,1	1000-1250					
				3,2-3,9	1000-1400					
				St3sp	2,0-2,4		1000			
					2,5-3,5		1000-1250			
					3,6-3,9		1000-1360			
		St4kp, St4ps, St4sp		3,0-3,4	1000					
				3,5-3,9	1000-1250					
		08kp, 08ps		DSTU 7809 / GOST 1050	08kp, 08ps		1.5	1000-1100	Coil/ Sheet	
							1,6-1,7	1000		
							1.8	970-1100		
							1.9	1000-1250		
							10kp, 10ps, 15kp, 15ps, 20kp, 20ps	1.9		1000-1100
								2,0-2,5		950-1250
10kp, 10ps, 15kp, 15ps, 20kp, 20ps, 25ps	2,6-2,9		1000-1360							
	3,0-3,9		1000-1500							
10, 15, 20	2,0-2,4		1000							
	2,5-3,5		1000-1250							
Rolled products of structural low-alloyed steel	DSTU 8969 / GOST 17066	09G2, 09G2D, 09G2S	DSTU 8541 / GOST 19281	2,0-2,9	1000	Coil/ Sheet				
				3,0-3,9	1000-1250					

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	TYPE OF DELIVERY
Rolled sheets and wide strip of structural quality steel	GOST 1577	08kp, 08ps, 10kp, 10ps, 15kp, 15ps, 20kp, 20ps, 25ps	DSTU 7809 / GOST 1050	4,0-8,0	850-1500	Coil/ Sheet
		10, 15, 20			1000-1400	
Rolled products of high quality structural steel for cold stamping	DSTU 7808/ GOST 4041	08kp, 08ps, 10kp, 10ps, 15kp, 15ps, 20kp, 20ps, 25ps	DSTU 7808/ GOST 4041	4,0-4,5	850-1500	Coil/ Sheet
		10, 15, 20			1000-1400	
Structural steel products	Protocol 14-226-199-2016	08kp, 08ps, 10kp, 10ps, 15kp, 15ps, 20kp, 20ps	Protocol 14-226-199-2016	4,5-8,0	850-1500	Coil/ Sheet
Rolled products from quality structural steel	TU U 24.1-23365425-687:2013	65G	GOST 1577	3,0-6,0	1000-1250	Coil/ Sheet
Expanded steel sheet PVL (PVK, PVH)	TU U 27.1-00190319-1301-2024	St0, St1kp, St1ps, St2kp, St2ps, St3kp, St3ps, 08kp, 08ps, 10kp, 10ps, 15kp, 15ps	TU U 27.1-00190319-1301-2024	2,0-6,0	500-1250	Sheet
Continuously hot-rolled low carbon steel sheet and strip for cold forming	Protocol 14-226-202:2017	DD11	EN 10111	1.8	970-1100	Coil
				1.9	1000-1250	
				2,0-2,5	950-1250	
				2.6	950-1360	
				2,7-2,9	1000-1360	
3,0-6,0	1000-1500					
Hot rolled steel for cold rolling and galvanizing	Protocol 14-226-213:2018	DX51D	Protocol 14-226-213:2018	1,8-1,9	1000-1100	Coil
				2,0-2,5	1000-1250	
				2,6-3,9	1000-1360	
				4,0-8,0	1000-1500	
Structural alloy steel	DSTU 7806	30HN2MA	DSTU 7806	6,0-8,0	1000-1100	Sheet

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	TYPE OF DELIVERY	DELIVERY CONDITION	
Rolled products from quality and ordinary carbon steel for general purposes	DSTU 2834 / GOST 16523 TU U 14-4-426-98	08kp, 08ps	DSTU 7809 / GOST 1050	1,8-1,9	1000	Coil	Pickled	
				2,0-2,5	1000-1250			
				2,6-2,9	1000-1360			
				3,0-4,5	1000-1500			
		1ps, 2ps, 10ps	DSTU 2651 / GOST 380 DSTU 7809 / GOST 1050	2,0-2,4	2.5	1000-1230	Coil	Pickled
						1000-1250		
						1000-1360		
						1000-1500		
		3ps	DSTU 2651 / GOST 380	2,0-2,4	2.5	1000-1230	Coil	Pickled
						1000-1250		
						1000-1360		
						1000-1500		
Non-alloy structural steels	TU U 27.1-23365425-621:2007 EN 10025-2	S235JR	TU U 27.1-23365425-621:2007 EN 10025-2	1,85-1,9	1000	Coil	Pickled	
				2,0-2,4	1000-1230			
				2.5	1000-1250			
				2,6-3,9	1000-1360			
				4,0-4,5	1000-1500			
		S275JR		2,0-2,4	980-1030	Coil	Pickled	
				2,5-3,5	1000-1250			
				3,6-3,9	1000-1350			
				4,0-4,5	1000-1400			

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	TYPE OF DELIVERY	DELIVERY CONDITION
Continuously hot-rolled low carbon steel sheet and strip for cold forming	Protocol 14-226-202:2017 EN 10111	DD11	EN 10111	1.8	950-1080	Coil	Pickled
				1.9	1000-1230		
				2,0-2,5	950-1250		
				2.6	950-1360		
				2,7-2,9	1000-1360		
				3,0-4,5	1000-1500		
Rolled products of high quality structural steel for cold stamping	DSTU 7808/ GOST 4041	08kp, 08ps, 10kp, 10ps, 15kp, 15ps, 20kp, 20ps	DSTU 7808/ GOST 4041	4,0-4,5	950-1500	Sheet	Pickled
		10, 15, 20		4,0-4,5	1000-1400	Sheet	Pickled
Rolled products from ordinary carbon steel	DSTU 8803 / GOST 14637	St1kp, St1ps, St2kp, St2ps, St3kp, St3ps	DSTU 2651 / GOST 380	4,0-4,5	850-1500	Sheet	Pickled
Rolled products from quality and ordinary carbon steel for general purposes	DSTU 2834 / GOST 16523	08kp, 08ps, 10kp, 10ps, 15kp, 15ps, 20kp, 20ps	DSTU 7809 / GOST 1050	2,0-2,4	950-1230	Sheet	Pickled
				2,5	950-1250		
				2,6-2,9	1000-1360		
				3,0-3,9	1000-1500		

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	TYPE OF DELIVERY	DELIVERY CONDITION		
Rolled products from quality and ordinary carbon steel for general purposes	DSTU 2834 / GOST 16523	10, 15, 20	DSTU 7809 / GOST 1050	2,0-2,4	1000	Sheet	Pickled		
				2,5-3,5	1000-1250				
				3,6-3,9	1000-1400				
		St1kp, St1ps, St2kp, St2ps, St3kp, St3ps	DSTU 2651 / GOST 380			2,0-2,4	950-1230	Sheet	Pickled
						2,5	950-1250		
						2,6-2,9	1000-1360		
						3,0-3,9	1000-1500		
Hot rolled steel	TU U 27.1-23365425-606:2005	08kp, St0, 08ps, St1kp, 10kp, St1ps, 10ps, St2kp, 15kp, St2ps, 15ps, St3kp, 20kp, St3ps, 20ps	TU U 27.1-23365425-606:2005	2,0-4,5	500-1500	Sheet	Pickled		

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	TYPE OF DELIVERY
Rolled products from quality and ordinary carbon steel for general purposes	DSTU 2834 / GOST 16523	St1kp, St1ps	DSTU 2651 / GOST 380	0,8-0,99	1000-1360	Coil / Sheet
				1,0-2,0	1000-1500	
		St2kp, St2ps		0,8-0,99	1000-1250	
				1,0-1,3	1000-1360	
				1,4-2,0	1000-1500	
		St3kp, St3ps		0,8-0,99	1000-1250	
				1,0-2,0	1000-1360	
		St1sp, St2sp		0,8-0,99	1000	
				1,0-1,59	1000-1250	
				1,6-2,0	1000-1360	
				0,8-0,99	1000	
		St3sp		1,0-1,9	1000-1250	
				2	1000-1360	
Rolled products from quality and ordinary carbon steel for general purposes	DSTU 2834 / GOST 16523	08kp, 08ps	DSTU 7809 / GOST 1050	0,5-0,79	1000-1250	Coil / Sheet
				0,8-0,99	1000-1360	
				1,0-2,0	1000-1500	
		10kp, 10ps		0,5-0,59	1000-1050	
				0,6-0,64	1000-1230	
				0,65-0,79	1000-1250	
				0,8-0,99	1000-1360	
				1,0-2,0	1000-1500	

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	TYPE OF DELIVERY
Rolled products from quality and ordinary carbon steel for general purposes	DSTU 2834 / GOST 16523	15kp, 15ps	DSTU 7809 / GOST 1050	0,8-2,0	1000-1360	Coil/ Sheet
		20kp, 20ps		0,8-1,0	1000-1250	
		10		1,1-2,0	1000-1360	
				0,8-1,99	1000-1250	
		15		2.0	1000-1400	
				0,8-1,99	1000-1250	
		20		2.0	1000-1360	
				0,8-0,99	1000	
Cold-rolled thin products of low-carbon steel for cold stamping	GOST 9045	08Yu, 08kp, 08ps	GOST 9045	0,5-0,79	1000-1250	Coil/ Sheet
				0,8-0,99	1000-1340	
				1,0-2,0	1000-1500	
Cold-rolled low carbon steel flat products for cold forming	Protocol №14-226-209:2020	DC01	Protocol №14-226-209:2020	0,5-0,79	1000-1250	Coil/ Sheet
				0,8-0,99	1000-1340	
				1,0-2,0	1000-1500	
				2,1-2,5	1000-1500	Coil
Cold-rolled steel products for enameling	TU U 14-4-479-2000	08ps	TU U 14-4-479-2000	0,5-0,69	1000	Coil/ Sheet
				0,7-0,79	1000-1250	
				0,8-1,2	1000-1400	
Full Hard cold-rolled coils	Protocol №14-226-186:2014	08kp, 08ps, 10kp, 10ps, 08Yu	Protocol №14-226-186:2014	0,5-0,59	1000-1050	Coil
				0,6-0,64	1000-1230	
				0,65-0,79	1000-1250	
				0,8-0,99	1000-1360	
				1,0-2,0	1000-1500	

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	TYPE OF DELIVERY
Full Hard cold-rolled coils	Protocol №14-226-186:2014	15kp, 15ps	Protocol №14-226-186:2014	0,8-2,0	1000-1360	Coil
		20kp, 20ps		0,8-1,0	1000-1250	
		10		1,1-2,0	1000-1360	
				0,8-1,99	1000-1250	
		15		2.0	1000-1400	
				0,8-1,99	1000-1250	
		20		2.0	1000-1360	
				0,8-0,99	1000	
				1,0-1,99	1000-1250	
				2.0	1000-1360	
Rolled products from quality and ordinary carbon steel for general purposes (less than 800 mm wide)	DSTU 2834 / GOST 16523	08kp, 08ps, 10kp, 10ps	DSTU 7809 / GOST 1050	0,5-0,59	500-515	Coil
				0,6-0,79	500-615	
				0,8-0,99	500-670	
				1,0-2,0	500-740	
		15kp, 15ps		0,8-2,0	500-670	
				0,8-1,0	500-615	
		20kp, 20ps		1,1-2,0	500-670	
				0,8-1,99	500-615	
		10		2.0	500-690	
				0,8-1,99	500-615	
		15		2.0	500-670	
				0,8-1,99	500-615	
		20		1,0-1,99	500-615	
				2.0	500-670	

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	TYPE OF DELIVERY
Tin plate	TU U 14-4-413-97	0H	TU U 14-4-413-97	0,28, 0,32, 0,36, 0,40	200-520	Coil
Cold-rolled structural sheet	DSTU 2834 / GOST 16523	08kp, 08ps, 10kp, 10ps, 15kp, 15ps, 20kp, 20ps, 08, 10, 15, 20	DSTU 7809 / GOST 1050	2,0-3,2	1000-1450	Sheet
		St1kp, St1ps, St2kp, St2ps, St3kp, St3ps	DSTU 2651 / GOST 380			
		St1sp, St2sp, St3sp			1000-1350	
Rolled products of structural low-alloyed steel	DSTU 8969/ GOST 17066	09G2, 09G2D, 09G2S	DSTU 8541/ GOST 19281	2,5-2,8	1000-1250	Sheet
Cold-rolled sheet	TU U 27.1-23365425-606:2005	St0, St1kp, St1ps, St2kp, St2ps, St3kp, St3ps, 08kp, 08ps, 10kp, 10ps, 15kp, 15ps	TU U 27.1-23365425-606:2005	0,5-2,5	1000-1250	Sheet
Cold-rolled low carbon steel flat products for cold forming	EN 10130	DC01	EN 10130	0,5-0,79	1000-1250	Coil
				0,8-0,99	1000-1340	
				1,0-2,0	1000-1480	
				2,1-2,5	1000-1250	
Cold-rolled low carbon steel flat products for cold forming	DIN 1623-2	S215G	DIN 1623-2	0,5-2,0	1000-1250	Coil

PRODUCT	STANDARD FOR TECHNICAL REQUIREMENTS	STEEL GRADE	STANDARD FOR STEEL GRADE	THICKNESS, MM	WIDTH, MM	TYPE OF DELIVERY	TYPE OF DELIVERY
Continuously hot-dip coated steel flat products for cold forming	DSTU EN 10346	DX51D	DSTU EN 10346	0,4 - 0,48	1000	Coil	Z100, Z140, Z200, Z225, Z275
				0,5 - 2,0	600-1250		
				2,1-2,5	600-1000		
		S220GD-S280GD		0,6 - 2,0	1000-1250		
		S320GD-S350GD		1,5-2,0	1000-1250		
Continuously hot-dip coated steel flat products for cold forming	EN 10346	DX51D	EN 10346	0,4 - 0,48	1000		Z100, Z140, Z200, Z225, Z275
				0,5 - 2,0	600-1250		
				2,1-2,5	600-1000		
		S220GD-S280GD		0,6 - 2,0	1000-1250		
		S320GD-S350GD		1,5-2,0	1000-1250		
Hot-dip zinc-coated steel products	ASTM A653/A653M	CS Type B, Class 2	ASTM A653/A653M	0,4 - 0,48	1000		G40, G90
				0,50 - 2,0	600-1250		
				2,1-2,5	600-1000		

CONTACTS

WESTERN EUROPE

SWITZERLAND

Metinvest International SA
Rue Vallin 2
1201 Geneva, Switzerland
+41 22 906 18 28
switzerland@metinvest-international.com

ITALY

Metinvest Trametal
Via XII Ottobre 1
16121 Genova, Italy
+39 010 576 29 11
sales@metinvest-westerneurope.com

Metinvest International Italia,
Ferriera Valsider
Via Antonio Salieri 36
37050 Oppeano (VR), Italy
+39 045 713 33 11
sales@metinvest-westerneurope.com

GERMANY

Trametal Deutschland
Carl-Von-Linde-Strasse 40
85716 Unterschleissheim, Germany
+49 0 89 309 079 0
sales@metinvest-westerneurope.com

Huttropstrasse 60
45138 Essen, Germany
+49 (0) 201 999 509 23
sales@metinvest-westerneurope.com

THE UNITED KINGDOM

Spartan UK
Ropery Rd
NE8 2RD Gateshead, United Kingdom
+44 0 191 460 42 45
sales@metinvest-westerneurope.com

SOUTHEAST ASIA

CHINA

Metinvest International
Wanda Plaza, Bld 5, Off.602
93 Jianguo Road, Chaoyang District,
100022 Beijing, China
vivian.zhou@metinvest-international.com

AMERICAS

LATIN AMERICA AND NORTH AMERICA

Metinvest International
Condominio Avenida Anacaona II
Ave Anacaona Comercial C2
10108 Santo Domingo, Dominican Republic
+1 809 482 74 56
sasha.vukusic@metinvest-international.com

EASTERN EUROPE

BULGARIA

Promet Steel
Administrative Bldg
8314 Debelts, Bulgaria
office.pms@promet.bg

Khan Krum 6
8000, Burgas, Bulgaria
+359 884 550 816
veselin.sokolov@promet.bg

POLAND

Metinvest Polska
Warszawska 33
40-010 Katowice, Poland
+48 032 888 58 41
vladimir.zadolinnyy@metinvestholding.com

ROMANIA

Metinvest Carpathia
Turturelelor 11A, Fl.2
Phoenicia Business Center, Sector 3
030881 Bucharest, Romania
+40 314 378 372
romania@metinvest-international.com

UKRAINE

Metinvest-SMC
Kniaziv Ostroz'kykh 8
01010 Kyiv, Ukraine
+38 044 581 44 98
smc@metinvestholding.com

MENA

TURKEY

Metinvest International
Palladium Ofis ve Residence Binasi,
No:8/A KAT:2-3
Atasehir, Istanbul
34746, Turkey
+90 533 365 50 92
aydin.turker@metinvest-international.com

THE GULF AND NORTH AFRICA

Metinvest International
Jafza One Building B, Fl. 11
Jebel Ali Free Zone
263027 Dubai, United Arab Emirates
+971 4 881 19 40
viktor.vukusic@metinvest-international.com



SCAN TO GET
THE CATALOGS